Back Country Equine First Aid Kit Contents

Item	Count	Comments
		For Colic. 10 cc dose IV. Peaks in 2 hours. Can give orally, peaks in 8 hours.
Banamine injectable	1	Can give IM with VERY clean skin.
Banamine Paste	1	For colic or inflammation. Peaks in 8 hours
bicycle inner tube - 2 ft	1	Tourniquet
Brown Gauze - 6"	2	Bandaging
Bute Paste	1	For inflammation. Peaks in 8 hours
Dex powder	3	For hives
Duct Tape	1	Bandaging
Easy Boot		Very Large. For foot injuries
Electrical Tape	1	Snakebite - tape tubing to halter
Electrolytes OR 2T Lite Salt + orange Gatorade powder	1	Dehydration
Eye ointment - triple antibiotic	1	Eye injuries, non-steroidal
EZ Scrubber in betadine	1	Wound Cleaning
gloves	4	
Hemostats	1	Foreign object removal, clamp bleeding veins or arteries.
Needles	6	18 x 1 1/2" for banamine and rompum
Needles	4	20 x 1 1/2" for pen G
Pen G bottle	1	Antibiotic. 30 cc IM for 1000# body weight. Twice daily for 3 days. Needs refrigeration in camp or ice pack on trail.
PVP ointment	1	in small pill bottle, wound ointment
Razor	1	Wound Cleaning
Rompum bottle	1	Tranquilizer + analgesic; 2cc to 5 cc IV or IM. Keep this drug locked up.
Scissors	1	
Sheet Cotton	1	1 pound roll
SMZs	100 tabs	Antibiotic. 10 tabs SMZs orally, for an adult 1000# horse, twice daily for 5 days.
Sponge	1	cooling
Sterile 4x4's in Ziploc	6	Wounds
Sterile Saline Solution	1	Eye injuries
Stethoscope	1	Assessment
Syringes	6	for Pen G, Banamine, Rompum, oral meds, wound cleaning
Thermometer	1	Assessment
Tools to pull shoe		For foot injuries
TOTAL		
Tubing	2	12" x 1/2" I.D. for snakebite
Vet Wrap	1	Bandaging
War Bandage	1	For heavy bleeding or large body wounds
white tape - 1"	1	Bandaging

January 28, 2012 Page 1 of 1